Designing Bilingual Arabic and English Interfaces From the First Wireframe

A bilingual interface should not feel like one language was added after the design was finished. The direction of reading, the shape of text, the position of controls, and the way people move through a task all need attention from the first wireframe. Arabic and English layouts can share a strong structure, but they rarely mirror each other without judgement.

The safest starting point is a content model and a task flow, not a blank canvas. Decide what the screen must help someone do, then map the order of information in both languages. This keeps the design tied to meaning rather than to the visual habits of one script.

Start with the reading direction of each language

Right to left changes more than alignment. In an English layout, people commonly scan from the upper left across and down. In an Arabic layout, the first point of focus often sits on the upper right, and progress moves across to the left. A wireframe that places the main heading, status, image, and call to action in a fixed left to right path can make the Arabic version feel awkward even when every label is translated.

Begin with a simple flow for each language. Mark where the eye is expected to land first, where supporting detail sits, and where the main action appears. Keep the hierarchy equivalent, but allow the geometry to change. A card grid, form, pricing comparison, or product detail page may need a different arrangement in each script to preserve the same sense of order.

Watch for false symmetry. Flipping an English artboard is not the same as designing for Arabic. Icons with direction, arrows, progress indicators, breadcrumbs, and media controls may need their own logic. A back arrow that points left in English may need to point right in Arabic, while a forward arrow moves the other way. A timeline may run in the opposite direction. If a graphic carries meaning through direction, treat it as content rather than decoration.



Make the text container flexible before styling anything

Arabic and English words do not occupy space in the same way. Text expansion is common in translation, and Arabic typography has its own rhythm, with connected letterforms and different vertical needs. A button that looks balanced in English may become cramped or oddly tall in Arabic. A navigation label may fit on one line in English and wrap in Arabic, changing the height of a whole header.

At wireframe stage, use placeholder blocks that represent realistic text length rather than neat English dummy words. Give labels room to grow. Avoid locking components to exact widths too early. Set rules for minimum button size, line length, spacing between rows, and how cards behave when a title takes two lines. These decisions are easier to make in plain boxes than after visual polish has been applied.

Watch for tight containers. Table headers, form labels, tabs, filters, tooltips, and mobile navigation are common pressure points. Short Arabic labels may not solve the issue, because a longer English translation can create the same problem in reverse. The answer is usually a resilient layout, not a smaller font.

Plan bilingual structure, not just translated screens

Decide early how the two languages relate. Some products use a language switcher that reloads the same page in the other script. Others show both languages together, especially in learning tools, public information, or internal dashboards. Each model needs a different grid.

For separate language views, keep the underlying component structure consistent while allowing direction and alignment to adapt. For side by side views, define which language leads and how pairs are grouped. Mixed language content introduces bidirectional text, especially when numbers, Latin brand names, file names, or code appear inside Arabic sentences. Do not leave this to chance in the wireframe. Show examples where mixed content is likely, such as invoice numbers, dates, email addresses, search results, and account references.

Arabic RTL UX design works best when direction is built into the component logic from the beginning. That means a card, modal, table, or form is described in terms of start and end, leading and trailing edges, and reading order, rather than fixed left and right positions. Designers can then apply the right layout without redrawing every element.



Draw core components in both directions

Once the flow is clear, wireframe the shared components side by side: headers, navigation, search, forms, cards, data tables, filters, dialogs, and empty states. Do not wait until the full visual design stage to test whether a component can change direction cleanly.

Headers often place brand identity on the starting side and account or menu controls on the ending side. In an English view, that may mean a logo at the left and actions at the right. In an Arabic view, the relationship reverses. Search fields need a clear start for typing, a sensible

place for the icon, and a predictable clear action. Forms should keep labels close to their fields and preserve the expected order of steps. If a form has inline validation, show where messages appear so they remain attached to the right field in both scripts.

Watch for elements that ignore direction. A progress bar should fill from the starting edge. A rating row, step indicator, or image carousel should move in the direction people expect for that language. A close icon can be positioned by meaning rather than by mirror image, provided it stays easy to find. The goal is consistency within each language, not a perfect visual reflection between the two.

Test the wireframe with real content patterns

A wireframe is useful when it exposes problems early. Add realistic content to the main screens before moving on: long and short titles, numbers, dates, amounts, names, error messages, and calls to action. If the product includes dashboards, include dense labels and values. If it includes commerce, include product names, delivery details, and filters. If it includes apps, include notification text and system messages.

Check the path rather than single screens. Can someone move from search to result to detail to action without losing the sense of direction? Does the page still make sense when a title wraps? Does a table remain readable when columns contain mixed scripts? Are primary actions still obvious when the layout changes?

Good Arabic RTL UX design reduces the need for late fixes because it treats language behaviour as part of structure. It also makes handoff clearer. Developers receive components with rules for direction, spacing, wrapping, and reading order, rather than a set of static pictures that only work in one language.



Turn decisions into reusable rules

After the wireframes hold up with content, write short component notes. Describe what changes by language and what stays the same. Include alignment, icon direction, label placement, spacing behaviour, text wrapping, and how errors or helper text appear. Note any pattern where mixed scripts need special treatment.

These notes become the foundation of a bilingual design system. They help new screens stay consistent and make reviews faster, because the discussion can focus on whether a pattern follows the agreed rules. Watch for one off fixes. If a screen needs a special arrangement, decide whether it is a genuine content need or a sign that the base component needs improvement.

Designing Arabic and English interfaces from the first wireframe is less about translating earlier and more about deciding how layout behaves when language changes. When reading direction, text length, component order, and mixed content are handled at the start, the finished interface feels natural in both languages instead of compromised in one.