Which branches should be pruned from a garden tree?

Knowing which branches to cut keeps your tree healthy and safe

Pruning a garden tree is not random snipping. Cutting the wrong branch can weaken the tree, invite disease, or ruin its shape. The goal is to remove only what harms the tree or poses a risk. For most trees in a residential garden, the branches that need to go fall into a few clear categories. Understanding these categories helps you make sound decisions before you pick up the loppers.

Dead, diseased, and dying wood

These are the most obvious candidates. Dead branches have no leaves during the growing season, and their bark may be peeling or cracked. Diseased wood often shows discoloured or weeping patches, fungal growth, or unusual swellings. Dying branches might still have a few leaves, but they look sparse and unhealthy. Removing this wood stops decay from spreading deeper into the tree. It also prevents heavy dead limbs from falling on a windy day. Cut back to the branch collar - the swollen area where the branch meets the trunk - and avoid leaving a stub.

Crossing and rubbing branches

When two branches grow across each other, they rub together as the tree moves in the wind. This wears away the bark and creates an open wound. Over time, the damage gives insects and fungi an easy entry point. Choose the weaker or less well-placed branch and remove it entirely. Keep the one that grows in a more open direction. The same logic applies to branches that grow inward toward the centre of the crown. They block light and air from reaching the inner foliage, which can lead to dieback and a congested canopy.

Branches with narrow crotch angles

A branch that grows upward at a sharp angle from the trunk - less than about 45 degrees - tends to have weak attachment. The bark often gets trapped between the branch and the trunk, forming what arborists call included bark. This creates a structural fault. As the branch thickens and gains weight, the join becomes a breaking point. A heavy storm or even a strong gust can split the branch from the trunk, leaving a large tear. Branches with wide crotch angles, around 60 to 90 degrees, are much stronger. If you spot a narrow-angled branch that is large, it is worth removing while it is still small enough to manage safely.



Suckers and water sprouts

Suckers grow from the rootstock below the graft union, usually near the base of the trunk. Water sprouts shoot straight up from the trunk or from older branches. Both are vigorous and fast-growing, but they rarely produce good fruit or flowers. They also rob the main tree of energy. In a garden setting, they look messy and can unbalance the tree's shape. Removing them early, when they are still thin, is simple. If left, they thicken and become more difficult to cut cleanly.

Low-hanging branches that block access

Branches that hang low over a path, driveway, or lawn make mowing and walking awkward. They can also scrape against vehicles or people. Raising the crown by removing the lowest branches is a common practice. But do not strip too many at once. A good rule is to remove no more than one-quarter of the live crown in a single season. Take off only the branches that actually cause a problem. For a tree near a house, also check for branches that overhang the roof. They drop leaves and debris into gutters and can rub against roofing in strong wind.

Broken or storm-damaged branches

After a storm, inspect the tree for cracked, split, or partially hanging branches. These are a safety hazard and should be dealt with promptly. A branch that is still attached by a strip of

bark may look like it will heal, but it usually dies back. Cut it cleanly at the nearest healthy junction. If the damage is high up or the branch is large, call a professional. Climbing in a damaged tree is risky because the structure may be unstable.

Branches that shade the trunk or other plants

Too much shade on the trunk can encourage moss and fungal growth. It also slows the drying of bark after rain, which raises the risk of rot. Thinning the canopy to let dappled light reach the trunk helps the tree stay dry and healthy. The same principle applies to plants growing beneath the tree. If a branch casts deep shade on a garden bed or lawn, removing it can improve conditions for the plants below. Just keep the tree's overall form in mind. Removing too many branches from one side can make the canopy lopsided.





When to stop and call a professional

Not every pruning job is a DIY task. Branches that are high up, large in diameter, or close to power lines need an experienced arborist. The same goes for trees that show signs of structural weakness, such as a lean or a crack in the trunk. A professional will have the equipment and training to do the work safely. For property owners in the region, a service like Tree Removal Gisborne tree pruning Gisborne can assess the tree and carry out the work to a high standard. They know the local tree species and the common issues that affect them.

How much to prune in one go


Removing too much live wood at once stresses the tree. It loses the leaves it needs to produce food, and the sudden exposure can sunburn the bark. A good target is to remove no more than 15 to 25 percent of the live canopy in a single year. If a tree needs major work, spread it over two or three seasons. Young trees can handle more formative pruning, but mature trees are slower to recover. Always leave enough foliage to keep the tree vigorous.

Tools and cuts

Use clean, sharp tools. Bypass pruners for small branches, loppers for medium ones, and a pruning saw for anything thicker than your thumb. Sanitise blades between trees if you are pruning multiple specimens, especially if you see any sign of disease. Make your cut just outside the branch collar, not flush with the trunk. A flush cut removes the collar and leaves a larger wound that heals poorly. For larger branches, use a three-step cut to prevent the bark from tearing as the branch falls.

Seasonal timing matters

Most deciduous trees are pruned in late winter or early spring, while they are still dormant. The leafless canopy makes it easy to see the branch structure, and cuts heal quickly as growth resumes. Spring-flowering trees, such as magnolias and cherries, are usually pruned right after they bloom. Summer pruning can slow growth, which is useful for controlling vigorous trees. Avoid heavy pruning in autumn, because the wounds heal slowly and the tree is storing energy for winter. If you need to remove a hazardous branch, do it whenever it is unsafe, regardless of the season.



© OpenStreetMap contributors

Knowing what to cut is only half the job. The other half is knowing what to leave. A well-pruned tree looks natural, not butchered. Each cut has a purpose, whether it is removing a hazard, improving structure, or encouraging better growth. If you are unsure about a particular branch, it is often better to leave it and ask an expert. A thoughtful approach to pruning keeps your garden trees healthy, safe, and attractive for years. For those who prefer to have the work done by a professional, Tree Removal Gisborne tree pruning Gisborne offers a reliable option that covers both the planning and the execution.

Tree Removal Gisborne on social media Facebook