The moment the freezing wears off and you start negotiating with your cheek like it is a stubborn dumpling, the real work begins. Tooth extractions are routine for a Winnipeg dentist, but the healing that follows happens in your kitchen, on your couch, and during those 2 a.m. Moments **Seven Oaks Dental Centre** when you wonder if you can sip through a straw. Good news, you can get through recovery comfortably and quickly, with fewer surprises and a lot less drama, if you understand what your mouth is trying to do and how to help it along.

I have coached patients through thousands of extractions, from single baby teeth to four wisdoms in one visit. The playbook is simple once you know why each step matters. Consider this your practical guide, heavy on real-world tips and light on fluff, written for our prairie climate and the peculiarities of life here. Whether you found your provider by searching dentist in Winnipeg at midnight or you have a long-time family clinic, these aftercare details are what make the difference between a smooth week and a grumpy one.

What your body is doing in the first 48 hours

Healing starts with a blood clot that forms in the socket. That clot is not a nuisance, it is a living bandage. It protects bone and nerve endings, and it is the scaffold for new tissue. If it dissolves too early or never forms properly, you get a dry socket, which is as pleasant as stepping on a Lego in the dark. Most problems trace back to disturbing the clot in the first day or two.

Your job is to keep that clot still, the area clean, and the swelling under control while your body knits tissue. The timeline has patterns:

- First 24 hours: clot forms, mild bleeding, numbness fades, swelling begins.
- Days 2 to 3: peak swelling and soreness, then steady improvement.
- Days 4 to 7: soft tissue closes over, stitches may be removed or dissolve, normal eating starts to return.

Those timeframes shift a little with age, health conditions, and how many teeth came out.

The first day, without the guesswork

Use this compact checklist and you will sail through the riskiest window.

1. Bite on the gauze for 30 to 45 minutes with steady pressure, then replace as needed until oozing slows.
2. Keep your head elevated, rest instead of doing chores, and ice your cheek in 10 minute intervals during the first 6 to 8 hours.
3. Avoid rinsing, spitting, or using straws, and do not smoke or vape at all on day one.
4. Start pain control before the freezing wears off, usually with ibuprofen and acetaminophen as directed by your Winnipeg dentist.
5. Stick to cool, soft foods and small sips of water, then add gentle, warm saltwater rinses after 24 hours.

That is the core. If you do nothing else, do those five things well.

Bleeding that behaves, and bleeding that does not

A little oozing tinted with saliva is normal for up to 24 hours. Bright red bleeding that fills your mouth or soaks gauze every few minutes is not. Positioning helps. Sit up, do not lie flat right away. Bite firmly on a folded gauze

pad placed directly over the socket, not on your tongue or cheek. If you run out of gauze, a clean, damp tea bag folded in half can pinch-hit. Black tea contains tannins that encourage clotting.

If bleeding is persistent at the 4 hour mark despite focused pressure, call your clinic. A dentist in Winnipeg will want to know if you are on blood thinners, if you have liver or bleeding disorders, or if the extraction was complex. In winter when the air is dry, you can see more oozing because tissues dehydrate. Humidify the room and keep up with sips of water.

Pain control with a plan

Most patients do best with a simple rotation of ibuprofen and acetaminophen, staggered so there is always coverage. You do not win points for toughing it out. Start your first dose before the freezing wears off, typically 2 to 3 hours after leaving the dental chair. If your dentist prescribed a stronger medication, it is usually for nighttime or for the first day after a surgical extraction, not for every dose.

I have seen the same pattern for years: people who keep steady, moderate pain relief on board for the first 48 hours need fewer total pills and feel more human. The fog of chasing pain wears you out. Always follow the dose instructions on your printout, and avoid ibuprofen if you have been told not to take NSAIDs.

Swelling, icing, and the Winnipeg weather factor

Swelling peaks around day two. If you ice early and often in the first 6 to 8 hours, you blunt that peak. Wrapped ice packs, a bag of frozen peas, or a proper gel pack all work. Ten minutes on your cheek, ten minutes off, repeat. Do not fall asleep with ice on your face. After 24 hours, switch to warm compresses to improve circulation and speed the cleanup crew of healing cells.

Cold air outside can trick you into over-icing. You are not trying to freeze your skin, you are trying to cool the deeper tissue. If you are walking to the pharmacy in January, tuck a scarf around your face. Wind plus a numb cheek is a recipe for windburn and accidental cheek chewing.

Food that helps, food that messes with healing

Think soft, cool, and nourishing for two days. Smoothies you eat with a spoon, yogurt, scrambled eggs, mashed avocado, oatmeal with extra milk, brothy soups cooled to warm. If you make a smoothie, skip seeds that find sockets, and skip the straw.

Crunchy, seedy, and spicy foods show up again and again in trouble calls. Chips, nuts, popcorn hulls, sesame seeds from your bagel, rice that packs into the site, and hot peppers that sting for sport, all are bad guests in the first week. Alcohol is a healing saboteur, especially when paired with pain meds. Give it 48 to 72 hours, longer if you are on antibiotics.

If you had a lower molar removed, chew on the opposite side for a week. If both sides were involved, chew in the front. Eat slowly. If you feel pressure in the socket while chewing, that is your sign to pick something softer.

Rinsing without wrecking the clot

The day after your extraction, start warm saltwater rinses. One half teaspoon of table salt in a cup of warm water is perfect. Gently swish for 10 seconds and let it fall out of your mouth. No forceful spitting. Do this 3 to 5 times a day after meals and before bed for a week. Saltwater soothes irritated tissue, reduces bacterial load, and helps clear food debris.

Mouthwash can be too harsh early on. Alcohol based rinses sting and dry tissues. If your dentist in Winnipeg prescribed a chlorhexidine rinse, use it as directed, usually once or twice daily, and do not chase it immediately with saltwater because you will dilute it before it can work.

Brushing, flossing, and the shower moment

Brush your other teeth the same day, just avoid the surgical area. That first night, keep the toothbrush away from stitches and the socket. Day two, angle the bristles so you clean near the area but do not scrub it. The goal is to keep the neighborhood clean so bacteria do not move in. Floss as usual, but skip the adjacent spaces until tenderness eases.

A little pro move: brush before you take your bedtime pain meds on the first two nights. You will be more likely to do a good job before drowsiness sets in. And do not lean into a hot shower the first night. Heat ramps up bleeding. Lukewarm is your friend.

Stitches and the itch to pick

Dissolving stitches look like clear or white threads and often start to loosen around days 3 to 5. They can feel annoying, like a stray hair in your mouth. Resist fiddling with them. Trim ends with clean nail scissors only if they are long and catching your tongue, and only if your clinic has okayed it. Non dissolving stitches usually come out in 5 to 10 days. Removal feels more odd than painful, and it is quick.

If a stitch pops early and you are not bleeding or gapping, you likely do not need an urgent visit. Send a photo to your clinic if they offer secure messaging. A reputable dentist winnipeg side will tell you when to come in and when to leave it be.

Activity, sleep, and the gym question

We live in a city that loves a good skate on the river trail, which is another way of asking when you can get back to moving. Keep it easy for 48 hours. Walking around the house is fine. Avoid bending, heavy lifting, and anything that makes you hold your breath and strain. Those spikes of pressure can dislodge a clot.

Sleep with an extra pillow for the first two nights. Elevation helps with swelling and throbbing. If you mouth breathe at night, a dab of petroleum jelly on your lips prevents the cracking that shows up when you wake up to the first real cold snap in January.

Back to the gym after 3 days is reasonable for most simple extractions. For surgical wisdom teeth, wait 5 to 7 days, and reintroduce effort in steps. If your pulse pounding in your ears makes your mouth throbs, that is your stop sign.

Dry socket: what it is, who gets it, and how to avoid it

Dry socket, or alveolar osteitis, shows up as pain that spikes after day two, often with an ache that radiates to the ear or temple on the same side. The site may look hollow, with a grayish base, and the breath can smell stale. It is not an infection in the classic sense. It is more like a failed bandage that leaves nerve endings shouting into the wind.

Risk is higher if you smoke or vape, if the extraction was surgical and involved bone removal, if you were on high dose birth control pills, and if you have a history of dry sockets. The best prevention is the boring stuff: no suction actions like straws or hard spitting, no smoking for at least 72 hours and ideally a week, gentle rinsing

after 24 hours, and avoiding vigorous exercise in the first two days. If you do get one, a Winnipeg dentist can place a medicated dressing that soothes within minutes and needs changing every couple of days until the tissue catches up.

Antibiotics, when they help and when they do not

Not every extraction needs antibiotics. We use them for specific reasons, such as an active spreading infection, a compromised immune system, or certain surgical situations. They are not Tylenol with extra steps. If you were given an antibiotic, take it as directed and finish the course. If you were not, do not be surprised. Clean technique and good aftercare often make them unnecessary.

If you are on warfarin, apixaban, or other blood thinners, or if you have conditions like uncontrolled diabetes, your dentist in Winnipeg should have tailored your plan. Call your clinic if your sugar readings swing wider than normal during the first few days. Stress, pain, and reduced food intake all nudge glucose levels around.

Wisdom teeth, the special case

Four impacted wisdom teeth removed in one sitting is a different animal than a single loose baby tooth. You can expect chipmunk cheeks for a day or two, tightness on opening, and bruising that moves like a watercolor from the jawline toward the neck over a week. That rainbow is normal. Icing early, then heat after 24 hours, plus jaw stretching exercises starting day three, restore motion. Use clean fingers to guide your mouth open gently, hold for a slow count of five, and repeat a few times a day.

With lower wisdom teeth, you will usually find a small gum flap or crater that collects food. Do not fish in there with a toothpick. Keep up saltwater rinses. Some clinics provide a monojet syringe to flush the socket after day five. Aim the stream along the side, not straight down, and use gentle pressure. If the area smells off despite rinsing, check in. A quick in office irrigation often resets the course.

The Winnipeg angle: cold, calendars, and comfort

Winter changes the logistics. Plan your ride so you are not standing in a wind tunnel after your appointment. Numb cheeks do not feel frostbite coming. Keep your scarf clean. If you drool a little on the way home, welcome to the club. In summer, remember that a hot car is a bad place to chew on gauze for an hour. Heat and dehydration make bleeding worse.

Book extractions away from major events. You can go to work the next day if it was a simple case and your job is desk based, but do not schedule the presentation of the year for the morning after. Teachers, servers, call center pros, and anyone who talks for a living benefit from an extra quiet day. Your voice will sound normal, but your mouth will thank you for the break.

When you choose a provider, look for clear aftercare instructions and reachable follow up, not just the speed of the appointment. A winnipeg dentist who invites questions and gives you a direct number or same day check slots is worth their weight in gauze.

How to clean the rest of you without messing with the site

You can shower the day of, with warm water, not hot. Pat your face dry gently. Skip face creams right up against the cheek on the surgical side for 24 hours. Thick balms can transfer to the pad you use for icing and irritate the skin.

If you use a night guard or retainer, ask your dentist when to resume. Often it is day two or three for the opposite arch, and a week or more for the same arch, depending on the location of the extraction and whether there are stitches.

Kids, teens, and seniors

Kids bounce back faster but forget rules faster too. Parents, expect to repeat the no straw, no spitting instructions many times. Offer tiny, frequent sips of water and soft foods they already like. Teen athletes should get a frank talk about practice. If they sweat hard or lift heavy within 48 hours, they will bleed more and swell more. They hate hearing it, but they hate missing the weekend game even more.

For seniors, plan meds around meals to keep the stomach settled. If arthritis limits hand strength, cut gauze into smaller pieces that are easier to position, or ask your clinic for extra wide pads. Denture wearers who had a tooth removed under a plate should expect adjustments. The gums change shape as swelling resolves. A soft liner can keep a denture comfortable while tissues heal.

When to pick up the phone

Most hiccups are minor and solve with an extra rinse, a fresh gauze pad, or a better pillow. A short, decisive phone call beats a week of Googling. Call promptly if you notice any of the following.

- Bleeding that soaks through steady gauze pressure for more than an hour or restarts heavily after it had stopped
- Pain that worsens after day two or radiates to the ear with a bad taste or odor
- Fever over 38.0 C, chills, or increasing facial swelling after day two
- Numbness that persists beyond 24 hours in the lip or tongue, or any new weakness
- Difficulty swallowing or breathing, or swelling that closes one eye

Clinics keep same day slots for post op checks. Use them. If it is after hours and breathing or swallowing is involved, go straight to urgent care.

A few small, memorable tips that help a lot

Label your pain meds on the bottle caps with a marker so you can see timing at a glance. Keep a little notepad by the bed to mark doses in the first 24 hours, when time turns squishy. If you are a side sleeper, roll a towel and wedge it behind your back to keep you from sinking face down on the sore side. Switch to a smaller toothbrush head for the week if your regular brush feels like a bulldozer. Put a tiny dab of honey on the corner of your lips if they chap easily, but keep it away from the incision line.

Above all, do not panic if you look in the mirror and see something unfamiliar. Healing tissue can look pale one day and redder the next. Scabs inside the mouth are not pretty. Healthy healing is about trend lines, not snapshots. Less pain each day, smaller swelling, easier eating. That is your scoreboard.

Final words from the chair

Aftercare is 80 percent preparation and 20 percent restraint. Resist poking, resist overdoing, resist the urge to see if the straw is okay just this once. Choose a dentist winnipeg patients trust for clear guidance and follow through on it. Your body is wired to heal. Give it the conditions, and it will do the rest while you finish that bowl of yogurt

and binge the show you have been saving. And when you are ready for the follow up, your Winnipeg dentist will be happy to see you, admiring a tidy socket that looks exactly as boring as it should.

Seven Oaks Dental Centre
< a href="https://www.sevenoaksdentalcentre.com">https://www.sevenoaksdentalcentre.com
Address: 2110 Main St, Winnipeg, MB R2V 2C2
Phone: +12043344388